



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/566,393

01/27/2006

Junbiao Zhang

PU030228

3745

24498 7590 02/15/2011

Robert D. Shedd, Patent Operations  
THOMSON Licensing LLC  
P.O. Box 5312  
Princeton, NJ 08543-5312

EXAMINER

SIMS, JING F

ART UNIT

PAPER NUMBER

2437

MAIL DATE

DELIVERY MODE

02/15/2011

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/566,393	<b>Applicant(s)</b> ZHANG, JUNBIAO	
	<b>Examiner</b> Jing Sims	<b>Art Unit</b> 2437	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 18 November 2010.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-13,25-34,36 and 41-57 is/are pending in the application.
- 4a) Of the above claim(s) 14-24,35 and 37-40 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) 1-13,25-27,34,36 and 41-57 is/are rejected.
- 7) ☐ Claim(s) 28-33 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)         | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. This action is responsive to communications on 11/18/2010 of application 10/566,393.

### ***Response to Arguments***

2. Applicant's arguments, with respect to claims 1 and 42, have been fully considered but they are not persuasive.

Applicant argued that:

i. O'Neil does not teach "associating unique data with an identifier of said client and storing an mapping of said association in said AP" because "the home address is used by all users of the host and is therefore not unique" in claim 1 (*see page 2, paragraph 4 of the Remarks dated 11/18/2010*).

ii. Stewart does not teach "associating unique data with an identifier of said client and storing a mapping of said association in said AP" in the other set of rejection to claim 1 (*see page 3, paragraphs 8-9 of the Remarks*).

iii. Claxton does not teach generating a local digital signature because "Claxton et al does not generate a local digital signature; rather, Claxton et al regenerates signatures" (*see page 5, paragraph 2 of the Remarks*).

In response to applicant's arguments:

i. Examiner respectfully disagrees for the following reasons. O'Neil discloses "associating unique data with an identifier of said client and storing an mapping of said association in said AP" by stating to enable a single MIP signal to effect binding state

Art Unit: 2437

with one of HoA at a single HA at a time at any one of accessing nodes, which as stated in prior office action, MIP related to one of the end node corresponding with identifier of said client and the HoA, Host Home Address, corresponding with unique data. See *O'Neil, paragraph 0047, lines 21-25*. Furthermore, O'Neil discloses storing the binding in binding table at the node. See *O'Neil, paragraph 0047, lines 35-40*. The uniqueness of a data should not depend on which party uses the data. Home Host Address, HoA, is a unique data because HoA is existing as the only one or as the sole example in the aggregating signaling system in O'Neil. It is having no like or equal, or unparalleled in the system. See O'Neil, paragraph [0003]. The uniqueness of the HoA should not be limited with whether it is used by a specific user or multiple users.

ii. Examiner respectfully disagrees for the following reasons. Stewart discloses “associating unique data with an identifier of said client and storing a mapping of said association in said AP” by stating an access point associates user’s identification information to a network provider list, which user’s identification information corresponding with an identifier of said client, and the network provider list corresponding with unique data. See *Stewart, col. 2, lines 49-59*. Furthermore, Stewart discloses a memory medium which stores a list of identification information that maps to a corresponding list of the plurality of possible network providers. Applicant’s arguments fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

iii. Examiner respectfully disagrees for the following reasons. Claxton discloses “generating a local digital signature using said embedded information” by stating using public key that embedded in their partner’s certificate to regenerate a signature. See *Claxton, col. 51, lines 28-30*). Generating can be interpreted as any form of generating processes including generating process and regenerating process. Applicant also alleged “Examiner attempts to interpret Claxton et al in view of the instant specification”. Based on MPEP 2111, the way claim interpretation has been described as “a claim **must be interpreted in light of the specification** without reading limitations from the specification into the claim”.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

**3. Claims 54-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Levergood et al. (US 5708780, hereinafter Levergood) in view of Peiffer et al (US patent application pub. no.: 2003/0037108).**

**As per claim 54**, Levergood discloses a method for controlling network access (*col. 3, lines 8-9, methods of processing service requests from a client to a server through a network*), said method comprising:

Art Unit: 2437

receiving an authentication user input message (col. 6, lines 36-41, *authentication server receives a request from client*);

**transmitting authentication input page requesting authentication information** (col. 6, lines 44-49, *authentication server sends a challenge response which causes the client browser to prompt the user for credentials; a preferred credential query typically consists of a request for user name and password*);

receiving authentication credentials (col. 6, lines 58-66, *upon receiving the get request*); and

transmitting an authentication message indicating one of success and failure of an authentication process (col. 6, lines 58-66, and col. 7, lines 1-20, *if the user is not cleared for authorization, a page denying access 222 is transmitted to the client browser. If the user is qualified, the new user is sent a form page*).

**As per claim 55**, claim 54 is incorporated and Levergood discloses:

wherein said authentication message comprises a digital signature, a session identifier, authentication parameters and a random number (col. 6, lines 5-16, *the authentication request get URL contains a SID, and User IP. From lines 54 to 64, Levergood teaches that the preferred SID is a sixteen character string that encodes 96 bit of SID data. It includes a 32-bit digital signature, and a 22-bit user identifier etc. The 22-bit user identifier is considered as authentication parameters. User IP is considered as session identifier. Since the SID is encoded the data it includes a random number*).

**Claims 56-57** are system claims corresponding to the method claims 54-55 and therefore are rejected under the same reasons set forth in the rejections for claims 54-55.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**4. Claims 48-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Levergood et al. (US 5708780, hereinafter Levergood) in view of Peiffer et al (US patent application pub. no.: 2003/0037108).**

**As per claim 48**, Levergood discloses a method for controlling network access (*col. 3, lines 8-9, methods of processing service requests from a client to a server through a network*), said method comprising:

receiving a re-directed request for network access via a message (*col. 3, lines 27-29, content server initiates the authorization routine by redirecting the client's request to an authentication server*);

transmitting a client identifier and unique data (*col. 5, lines 49-65, an SID provided from the authentication server to the client. The SID includes 22-bit user*

Art Unit: 2437

*identifier, and other specific data; wherein 22-bit user identifier correspond with client identifier; other data, such as 32-bit signature correspond with unique data);*

Levergood does not disclose generating a web page including embedded data.

Peiffer discloses:

**generating a web page including embedded data** (*par. [0058], lines 7-10, server is configured to recognize the SSID and generate a customized web resource A, shown in at 30c; wherein web resource A corresponding with webpage; lines 14-19, the links in the customized web resource A are rewritten to include the SID, wherein the SID corresponding with embedded data).*

Levergood and Peiffer are analogous art because they are from the same field of endeavor of secure network accessing.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the Internet server control system as described by Levergood and add generating a customized webpage for the client as taught by Peiffer because it would maintain a stateful interactions between clients and service provider (see Peiffer, par. [0010]).

**As per claim 49**, claim 48 is incorporated and Levergood discloses:

*wherein said unique data comprises a session identifier and a random number (col. 5, lines 54-65, wherein 16-bit expiration date, and/or 2-bit key identifier, and or 8-bit domain correspond with session identifier; the digital signature which is a cryptographic hash of the remaining items in the SID correspond with a random number).*

**As per claim 50**, claim 48 is incorporated and Levergood discloses:



wherein said embedded data comprises a session identifier, a random number and authentication server selection information (col. 5, lines 48-65, wherein a modified URL appended with an SID correspond with embedded data; 1-bit expiration data, *and/or 2-bit key identifier, and or 8-bit domain correspond with session identifier; the digital signature which is a cryptographic hash of the remaining items in the SID correspond with a random number; the authorized IP address correspond with authentication server selection information*).

**Claims 51-53** are system claims corresponding to the method claims 48-50 and therefore are rejected under the same reasons set forth in the rejections for claims 48-50.

**5. Claims 1-2, 6, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over O'Neill (US 2004/0047348) in view of Jones et al (US 2003/0212800, hereinafter Jones), and further in view of Peiffer.**

**As per claim 1**, O'Neill discloses a method for controlling access to a network, said method comprising:

receiving, by an access point (AP) of said network, a request to access said network, said request transmitted by a client (*fig. 11, and [0048], wherein mobile node MN 910 correspond with the client, first Access Node FA 920 corresponding with access point, AP*);

re-directing, by said AP, said access request to a local server (*fig. 11, and [0049], wherein First Home Agent HA 930 correspond with Local server; process 970b correspond with re-directing*);

associating unique data with an identifier of said client and storing a mapping of said association in said AP (*fig. 11, and [0047], wherein binding table 933 correspond with associating, the MIP related to End Node 910 correspond with identifier of said client, and Host Home Address HoA correspond with Unique data*);

transmitting an authentication request to said selected authentication server (*fig. 11, and [0048], send a message 906a to AAA, Authentication, Authorization and Accounting, server 905; wherein RADIUS access\_request to the AAA system 905 correspond with authentication request*); and

receiving a response to said authentication request from said selected authentication server (*fig. 11, and [0048], a multitude of Policy state to be returned to F A 920 proves the authentication request has been received at RADIUS server*).

However, O'Neill does not disclose:

generating a Web page by said local server requesting that said client select an authentication server (AS) and including said unique data and forwarding said generated Web page to said client;

Jones discloses:

Hosting **a web page by said local server requesting that said client select an authentication server (AS)** (*page 5, [0059], wherein web server 114 corresponding with local server, authentication-invite web page corresponding with web page; [0060], web page can include a field for a user to select a service provider from among those available*) **and including said unique data and forwarding the web page to said**

Art Unit: 2437

**client** ([0060], wherein SIP address, password, and/or other credentials correspond with unique data).

O'Neill and Jones are analogous art because they are from the same field of endeavor of wireless communication access control.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the verification process of a mobile node as described by O'Neill and add giving user options to select a service provider as taught by Jones because it would provide mobile device user an other choice to connection to Internet while in the range of an hot spot.

Jones discloses hosting an authentication-invite webpage requesting client select an authentication server; however, Jones does not disclose generating the webpage, and forwarding said generated web page to said client.

Peiffer discloses **generating a webpage** (par. [0058], the server is configured to recognize the SSID and generate a customized web resource A, based on the user's past behavior associated with the SSID).

O'Neill, Jones, and Peiffer are analogous art because they are from the same field of endeavor of network access controlling.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify hosting the authentication-invite web page stored at the server as described by Jones to be generated at the server based receiving information as taught by Peiffer because it would provide customized web resource for client's request (see Peiffer, par. [0058], lines 14-19).

**As per claim 2**, claim 1 is incorporated and O'Neill discloses:

wherein said network is a wireless Local Area network (WLAN) (*fig. 11 and [0002], mobile communications*).

**As per claim 6**, claim 1 is incorporated and O'Neill discloses:

wherein said identifier is an address of said client (*fig. 11, and [0047], MIP is mobile IP which is an address of an end node/user*).

**As per claim 10**, claim 1 is incorporated and O'Neill discloses:

wherein said identifier is one of a physical (PHY) address of said client, a MAC address of said client and an IP address of said client (*fig. 11, and [0047], MIP is mobile IP of an end node/user*).

**6. Claims 1, 3-5, 7-9, 11-13, 34, 36, and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Levergood et al. (US 5708780) (hereinafter Levergood) in view of Stewart et al. (US 6732176) (hereinafter Stewart), and further in view of Jones, and further in view of Peiffer.**

**As per claims 1**, Levergood discloses a method for controlling access to a network, said method comprising (*col. 3, lines 8-9, methods of processing service requests from a client to a server through a network*):

receiving, by an access point (AP) of said network, a request to access said network, said request transmitted by a client (*col. 3, lines 8-29, with respect to this limitation, Levergood discloses that client request is received by the internet server*

Art Unit: 2437

*which is also called content sever to access controlled files. Examiner considers the internet server is the access point of the network);*

re-directing, by said AP, said access request to a local server (*col. 3, lines 27-29, Levergood discloses that content server initiates the authorization routine by redirecting the client's request to an authentication server*);

transmitting an authentication request to said selected authentication server (*col. 3, lines 26-29, with respect to this limitation, Levergood discloses redirecting the client's request to an authentication server*) and

receiving a response to said authentication request from said selected authentication server (*col. 3, lines 29-33, Levergood discloses this limitation by the authentication server returns a response to qualified client*).

Levergood does not specifically disclose associating unique data with an identifier of said client and storing a mapping of said association in said AP and generating a Web page by said local server requesting that said client select an authentication server (AS) and including said unique data and forwarding said generated Web page to said client.

However, Stewart discloses associating unique data with an identifier of said client and storing a mapping of said association in said AP (*col. 2, lines 49-53, and access point associates user identification information to a network provider list. Unique data appears to be the network provider list*).

Levergood and Stewart are analogous art because both applications teach the access control to a network or the Internet via a wire or wirelessly.

It would have been obvious to one of ordinary skilled in the art at the time of invention to further processing access request as disclosed by Levergood at an access point or an computing device as described in Stewart because it would provide various options to be authenticated to a network for a subscriber.

Jones discloses:

Hosting **a web page by said local server requesting that said client select an authentication server (AS)** (*page 5, [0059], wherein web server 114 corresponding with local server, authentication-invite web page corresponding with web page; [0060], web page can include a field for a user to select a service provider from among those available*) **and including said unique data and forwarding the web page to said client** (*[0060], wherein SIP address, password, and/or other credentials correspond with unique data*).

Levergood Stewart and Jones are analogous art because they are from the same field of endeavor of wireless communication access control.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify network access control as described by Levergood and add giving user options to select a service provider as taught by Jones because it would provide mobile device user an other choice to connection to Internet while in the range of an hot spot.

Jones discloses hosting an authentication-invite webpage requesting client select an authentication server; however, Jones does not disclose generating the webpage, and forwarding said generated web page to said client.

Peiffer discloses **generating a webpage** (*par. [0058], the server is configured to recognize the SSID and generate a customized web resource A, based on the user's past behavior associated with the SSID*).

Levergood, Stewart, Jones, and Peiffer are analogous art because they are from the same field of endeavor of network access controlling.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify hosting the authentication-invite web page stored at the server as described by Levergood in view of Jones to be generated at the server based receiving information as taught by Peiffer because it would provide customized web resource for client's request (see Peiffer, *par. [0058], lines 14-19*).

**As per claim 3**, Levergood discloses the method according to claim 1, further comprising: forwarding said identifier of said client from said local server; and generating said unique data for said client by said local server (*col. 3, lines 24-26, the internet server subjects the client to an authorization routine prior to issuing the SID. The SID considers as identifier, and the protected SID is the unique data of the server*).

**As per claim 4**, Levergood discloses the method according to claim 1, further comprising:

retrieving, by said client, a re-directed URL having embedded data including a first digital signature, authentication parameters and said unique data and forwarding said re-directed URL to said AP (*col. 5, lines 22-65, user redirects URL get request at 100 in Fig. 2A contains an SID. From lines 54 to 64, Levergood discloses that the preferred SID is a sixteen character string that encodes 96 bit of SID data. It includes a*

Art Unit: 2437

*32-bit digital signature, a 2-bit key identifier, and a 22-bit user identifier etc. The 22-bit user identifier is considered as authentication parameters. The 16-bit ASCII string is considered as said unique data, and the authorized IP address is considered as said identifier. The browser forwards the request to a content server 120. As stated above, content server is considered as AP);*

*creating, by said AP, a second digital signature using said authentication parameters, said unique data and said identifier; comparing, by said AP, said first digital signature with said second digital signature (col. 6, lines 5-8, the content server which is considered as AP tagged with SID. From lines 54 to 64, Levergood discloses that the preferred SID is a sixteen character string that encodes 96 bit of SID data. It includes a 32-bit digital signature, a 2-bit key identifier, and a 22-bit user identifier etc. The 22-bit user identifier is considered as authentication parameters. The 16 character ASCII string is considered as said unique data, and the authorized IP address is considered as said identifier. The browser forwards the request to a content server 120);*

*determining, by said AP, if there is a match between said first digital signature and said second digital signature (col. 6, lines 8-16, the SID's digital signature is compared against the digital signature computed) and*

*performing, by said AP, one of granting network access and denying network access based on said match determination (col. 6, lines 17-20, with respect to this limitation, Levergood discloses if the validation passes, the controlled resources will be granted to access).*



**As per claim 5**, Levergood discloses the method according to claim 1, wherein said unique data includes a session ID and a randomized number (*col. 5, lines 54-65, the 16 character ASCII string that encodes 96 bits of SID data. Since it is encoded the data includes a randomized number*).

**As per claim 7**, Levergood discloses the method according to claim 1, wherein the act of authenticating further comprises:

processing, by said AS, said authentication request, wherein said authentication request includes a session ID embedded in said authentication request (*col. 6, lines 27-65, client browser automatically sends a GET request to authentication server. Levergood discloses the embedded session ID in lines 62-63 by such as client IP address and password, as well as other information*);

responding to said authentication request by forwarding to said client by said AS an authentication input page, said authentication input page including a request for authentication information (*col. 6, lines 40-49, with respect to this limitation, Levergood discloses authentication server sends a challenge responds which causes the client browser to prompt the user for credentials*) and

receiving, by said AS, authentication credentials from said client, wherein said response to said authentication request forwarded to said client includes a re-direct header and a success code and associated information relevant to access of said network by said client (*col. 6, lines 58-67, and col. 7, lines 1-21, Levergood discloses this limitation by if user is authorized, the authentication server transmits a redirect*

Art Unit: 2437

*response based on the tagged URL to client browser. An SID for an authorized user is appended).*

**As per claim 8**, Levergood discloses the method according to claim 7, wherein the act of forwarding further comprises generating, by said AS, said success code and said associated information includes a first digital signature and authentication parameters (*col. 7, lines 14-20, an SID for an authorized user is appended. Levergood discloses The SID is sixteen character ASCII string and it contains a 32-bit digital signature in col. 5, lines 54-61. It is the as same as the SID Levergood mentioned in the rejection of claim 4).*

**As per claim 9**, Levergood discloses the method according to claim 5, wherein said randomized number is one of a random number and a pseudo-random number (*col. 5, lines 54-65, the sixteen character ASCII string that encodes 96 bits of SID data. Since the SID is encoded the data it includes a random number or pseudo-random number).*

**As per claim 11**, Steward discloses the method according to claim 1, wherein said AP and said local server are co-located (*col. 2, lines 63-66, the memory medium which may be a computer system can be comprised in the access point).*

**As per claim 12**, Levergood discloses the method according to claim 4, wherein said first and said second digital signatures are generated using one of a private key of said AS and a shared key between said AS and said local server (*col. 5, lines 61-65, the digital signature is a cryptographic hash that encrypted with secret key which is shared by the authentication and content servers).*

**As per claim 13**, Levergood discloses the method according to claim 4, wherein said second digital signature is locally generated at said AP (*col. 6, lines 5-13, the first digital signature is compared against the second digital signature that computed by content server*).

**As per claim 34**, Levergood discloses the method of claim 1, further comprising: at the authentication server, authenticating the client using the unique data, and forwarding said response to the client using a re-direct header, and including a digitally signed authentication message and authentication parameters corresponding to the unique data (*col. 7, lines 14-20, an SID for an authorized user is appended. The authentication server then transmits a redirect response to the client browser. Levergood discloses the SID is sixteen characters ASCII string and it contains a 32-bit digital signature, a 2-bit expiration date, a 22-bit user identifier and other information included in col. 5, lines 54-61*) and the access point receiving from the client according to the re-direct header the digitally signed authentication message and authentication parameters (*col. 7, lines 14-20, content server receiving from the user according to the original URL directed header with an SID for the user is appended. Levergood discloses the SID is sixteen characters ASCII string and it contains a 22-bit user identifier and other information included in col. 5, lines 54-61*).

Stewart discloses correlating the authentication parameters with the mapped association data for determining access to the network (*col. 2, lines 60-67, and col. 3, lines 1-6, compare the received parameters with the mapped corresponding list to determine the appropriate network provider to access*).

**AS per claim 36**, Levergood discloses the method of claim 1, wherein said unique data comprises a session ID and a randomized number and further comprising: receiving, by said AP, a re-directed request from the client and including a digitally signed authentication message, an authentication parameter list, and said session ID, the digitally signed authentication message being generated using the randomized number, said session ID and said authentication parameter list, by said selected authentication server associated with the client (*col. 5, lines 22-65, user redirects URL get request at 100 in Fig. 2A contains an SID to content server. From lines 54 to 64, Levergood discloses that the preferred SID is a sixteen character string that encodes 96 bit of SID data. Since it is encoded it is involved in a randomized number. It includes a 32-bit digital signature, a 2-bit key identifier, and a 22-bit user identifier etc. The 22-bit user identifier is considered as authentication parameters. The URL directed to is the selected authentication server to the user*). Steward discloses and correlating the received digitally signed authentication message with the re-directed request for access using the stored mapping data for controlling access by the client to the network (*col. 2, lines 49-66, access point receives the identification information for using a stored list to map for the controlling network access*).

**As per claim 41**, Steward discloses the method according to claim 36, wherein said AP and said LS are co-located (*col. 2, lines 63-66, the memory medium which may be a computer system can be comprised in the access point*).

**7. Claims 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over O'Neill in view of Manchala et al (US 2003/0079134, hereinafter Manchala).**

**As per claim 25**, O'Neill discloses a system for controlling access to a network comprising:

a client (*fig. 11, and [0048], wherein mobile node MN 910 correspond with the client*);

an access point (AP) coupled to a local server (LS) for relaying network communications to and from the client (*fig. 11, and [0048], wherein mobile node MN 910 correspond with the client, first Access Node FA 920 correspond with access point, AP; fig. 11, and [0049], wherein First Home Agent HA 930 correspond with Local server*);  
and

an authentication server for performing an authentication process in response to a request from the client (*fig. 11, and [0048], send a message 906a to AAA, Authentication, Authorization and Accounting, server 905; wherein RADIUS access\_request to the AAA system 905 correspond with authentication request*);  
wherein

the AP, in response to a re-directed request to access the network from the client, associates unique data with an identifier of the client and stores a mapping of the association (*fig. 11, and [0047], wherein binding table 933 correspond with associating, the information in MIP related to End Node 910 correspond with identifier of said client, and Host Home Address HoA correspond with Unique data*);

the LS transmits the unique data to the client (*fig. 11, and [0050], lines 25-30, packet flow 960a from HA 930 to FA 920 includes packets destined for either the HoA 1 or HoA2 of the MN 910, wherein HoA 1 or HoA2 correspond with unique data*);

the authentication server, upon authenticating the client using the unique data, is operative to provide a re-direct header for access to the client (*fig. 11, [0047], lines 6-16, Authorization and Authentication system 905 enables the FA to authenticate the Mobile node 910; and [0048], wherein HoA correspond with unique data*), the AP receiving authentication parameters from the client and the AP further correlating the authentication parameters with the mapped association data for determining access to the network based on the results of the correlation (*fig. 11, and page 7, [0047], lines 7-12, wherein binding table correspond with the mapped association data* ).

However, O'Neill discloses authorization and authentication system authenticates a mobile node; however, O'Neil does not disclose to provide a redirect header including a digitally signed authentication, and receiving the digitally signed retrieved re-directed URL.

Manchala discloses to provide **a redirect header including a digitally signed authentication** (*par. [0005]: request made to a server must contain HTTP headers containing the digital signature and a public key certificate that maps to the identity of the signer*), and **receiving the digitally signed retrieved re-directed URL** (*par.*

*[0005], a server receives the HTTP headers containing the digital signature and a public key certificate that maps to the identity of the signer).*

O'Neill and Manchala are analogous art because they are from the same field of endeavor of wireless communication access control.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the authentication redirecting process as described by O'Neill and add the detail format of the redirecting header as taught by Manchala because it would provide accessing by using a mobile browser because the credential such as digital signature may be passed directly to another browser in order to convey permission to a resource (Manchala, par. [0005]).

**As per claim 26**, claim 25 is incorporated and O'Neill discloses:

wherein the network is a wireless local area network (WLAN) comprising the access point and local server (*fig. 11 and [0002], mobile communications; and [0048]-[0049], wherein first Access Node FA 920 correspond with access point, AP and First Home Agent HA 930 correspond with Local server*).

**8. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over O'Neill in view of Manchala, further in view of Jones and further in view of Peiffer.**

**As per claim 27**, the system of claim 25 is incorporated and O'Neill in view of Manchala discloses a local server; however O'Neil in view of Manchala does not discloses generating a web page requesting that the client select an authentication server, and embeds the unique data in the web page for transmission to the client.

Jones discloses:

Hosting **a web page by said local server requesting that said client select an authentication server (AS)** (*page 5, [0059], wherein web server 114 corresponding with local server, authentication-invite web page corresponding with web page; [0060], web page can include a field for a user to select a service provider from among those available*) **and including said unique data and forwarding the web page to said client** (*[0060], wherein SIP address, password, and/or other credentials correspond with unique data*).

O'Neill, Manchala and Jones are analogous art because they are from the same field of endeavor of wireless communication access control.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the verification process of a mobile node as described by O'Neill and add giving user options to select a service provider as taught by Jones because it would provide mobile device user an other choice to connection to Internet while in the range of an hot spot.

Jones discloses hosting an authentication-invite webpage requesting client select an authentication server; however, Jones does not disclose generating the webpage, and forwarding said generated web page to said client.

Peiffer discloses **generating a webpage** (*par. [0058], the server is configured to recognize the SSID and generate a customized web resource A, based on the user's past behavior associated with the SSID*).



O'Neill, Manchala, Jones, and Peiffer are analogous art because they are from the same field of endeavor of network access controlling.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify hosting the authentication-invite web page stored at the server as described by Jones to be generated at the server based receiving information as taught by Peiffer because it would provide customized web resource for client's request (see Peiffer, par. [0058], lines 14-19).

**9. Claim 42 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jones in view of Claxton et al (US Patent No. 7177839, hereinafter Claxton), and further in view of Yoshino et al (US 2003/0188117 A1, hereinafter Yoshino).**

**As per claim 42**, Jones discloses a method for controlling network access, said method comprising:

receiving a request for network access (*fig. 3 and [0010], mobile station request to access the network*);

re-directing said request via a message (*fig. 3 and [0010], wherein forwarding to the designated service provider correspond with re-directing request*);

receiving a client identifier and unique data (*fig. 3 and [0060], wherein SIP address correspond with client identifier, password and/or other credentials correspond with unique data*);

associating said unique data and said client identifier (*fig. 3 and [0062], wherein translation table correspond with associating*);

receiving a re-directed universal resource locator included embedded information *(page 5, [0059], authentication-invite web page correspond with re-directed universal resource locator; [0060], wherein SIP address, password, and/or other credentials correspond with embedded data);*

However, Jones does not explicitly disclose:

generating a local digital signature using said embedded information and said association between said unique data and said client identifier;

comparing said local digital signature with a digital signature received in said embedded information;

granting network access if said local digital signature matches said digital signature received in said embedded information; and

deny network access if said local digital signature does not match said digital signature received in said embedded information.

Claxton discloses:

**generating a local digital signature using said embedded information** *(col. 51, lines 28-30, using public keys in their partner's certificate to regenerate a signature);*

Claxton does not disclose generate digital signature using said association between said unique data and said client identifier;

Yoshino discloses generate digital signature using **said association between said unique data and said client identifier** (par. [0766], device executes the digital-signature generating processing by applying the device private key to the coupling data of received random number R and the device identifier; in light of the instant

Art Unit: 2437

specification the association between unique data are the association between SID, and a random number etc in page 8, lines 3-6).

comparing said local digital signature with a digital signature received in said embedded information (*col. 51, lines 28-30, regenerate and compare signatures*;

granting network access if said local digital signature matches said digital signature received in said embedded information (*col. 51, lines 31-38, 56-65, if the account and SSL client certificates are valid, finally give access*); and

deny network access if said local digital signature does not match said digital signature received in said embedded information (*col. 51, lines 31-38, 56-65, if the RM client is not authenticated, the request access denies*).

Jones and Claxton are analogous art because they are from the same field of endeavor of electronic transaction system including an access point.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the allowing multiple service providers to serve users via a wireless local access network as described by Jones and add integrity verification to messages as taught by Claxton because it would achieve transport-level integrity and data privacy (*see Claxton, col. 51, lines 10-15*).

Jones, Claxton, and Yoshino are analogous art because they are from the same field of endeavor of electronic transaction system including an access point.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify generating a signature by using the unique data a received information as described by Jones in view of Claxton and add generate the signature

Art Unit: 2437

also based on other extra data information as taught by Yoshino because it would provide additional layer of security to prevent the invalid data accessing.

**10. Claims 43 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jones in view of Claxton, further in view of Yoshino and further in view of Chinnaswamy et al (US Publication No.: 2005/0114680).**

**As per claim 43**, claim 42 is incorporated and Chinnaswamy discloses:

wherein said unique data comprises a session identifier and a random number ([0043], *the message contains random number and session identifier*).

Jones, Claxton, Yoshino, and Chinnaswamy are analogous art because they are from the same field of endeavor of electronic transaction system including an access point.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the allowing multiple service providers to serve users via a wireless local access network with integrity verification system as described by Jones in views of Claxton, and add data submitting for authentication including random number and Session ID as taught by Chinnaswamy because it would provide submitting details of the access control process.

**As per claim 44**, claim 42 is incorporated and Chinnaswamy discloses:

wherein said embedded information further comprises a session identifier and authentication parameters ([0043], *the message contains random number and session*

Art Unit: 2437

*identifier; wherein MAC\_RANDOM and/or random number correspond with authentication parameters).*

Jones, Claxton, Yoshino, and Chinnaswamy are analogous art because they are from the same field of endeavor of electronic transaction system including an access point.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the allowing multiple service providers to serve users via a wireless local access network with integrity verification system as described by Jones in views of Claxton, and add data submitting for authentication including random number and Session ID as taught by Chinnaswamy because it would provide submitting details of the access control process.

**Claims 45-47** are system claims corresponding to the methods claims 42-44 and therefore are rejected under the same reasons set forth in the rejections for claims 42-44.

### ***Allowable Subject Matter***

11. **Claims 28-33** objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

### ***Conclusion***

Art Unit: 2437

12. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jing Sims whose telephone number is (571)270-7315. The examiner can normally be reached on 9:00am-5:00pm EST, Mon-Thu.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on (571)272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. S./  
Examiner, Art Unit 2437

/Matthew B Smithers/  
Primary Examiner, Art Unit 2437

Application/Control Number: 10/566,393  
Art Unit: 2437

Page 30